

Kullaplast AB



Quality Documents Compilation

Click on the content you wish to read!

Quality Documents from Kullaplast AB	2
Certified Quality and Food Safety Management System	2
Declaration of Compliance – General.....	3
Declaration of Compliance – Food Contact Materials.....	5
General Absence Declaration.....	7
Flexible sheets for waterproofing	9
General Information	10

Quality Documents from Kullaplast AB

Kullaplast AB frequently receives enquiries about our compliance with relevant legislation and many of these enquiries require an immediate response. In order to respond quickly and consistently to all our customers we have prepared this Quality Documents Compilation.

Upholding regulatory standards, including the legislative demand on transfer of information to our customers, are a principal issue to Kullaplast AB. Our aim is to maintain the highest level of service with swift, complete and uniform answers and documentation. Therefore, we have developed the following set of documents:

Product Data Sheets

All our products are accompanied by a Product Data Sheet (PDS) that specifies the product and links it to this document. As the vast majority of our products are made to the customer's specifications, the PDS are not available beforehand. PDS are distributed on demand.

Quality Documents Compilation

This document, includes extensive legal information, declarations of compliance, declaration of absence and general information together with links to sources of further information outside our organisation.

Certificates

Several certificates verify that our products meet applicable legal or regulatory requirements. Please find further information under respective heading below and the certificates on our [website](#).

As a customer you will get timely answers as well as a complete list of applicable regulations, and answers to frequently asked questions about our products and their content. For customers at the wholesale level, the unified documentation also facilitates communication with your customers, since you should in many cases be able to refer directly to our documentation without having to communicate each question with us. However, since we have hundreds of customers and thousands of unique products, we are unfortunately unable to fill in your own documents regarding this information.

We believe that you understand this and that you will appreciate the benefits of the overall setup. If you have further questions you are always welcome to contact our Quality Manager, see contact information below.

Certified Quality and Food Safety Management System

Our Quality and Food Safety Management System is certified according to ISO 9001 (Quality) and ISO 22000 (Food Safety). Certificates are available for download from our [website](#).

Declaration of Compliance – General

Kullaplast AB produces polyethylene products for packaging and protection. These products, or the materials used in the production of the products, are subject to regulation per the Directives and Regulations listed in this document. Regarding the materials, we have received confirmations from our suppliers that their virgin materials do comply with the requirements applicable to our products. Consequently, we hereby declare that our products, made from virgin materials, complies with the regulations below, including amendments and corrections.

REACH

According to the REACH Regulation (EU 1907/2006: Registration, Evaluation, Authorisation and Restriction of Chemicals), our products are defined as *articles*. This means “*an object which during production is given a special shape, surface or design which determines its function to a greater degree than does its chemical composition*”. Articles are excluded from registration according to REACH.

Regarding the chemical substances and mixtures that we use as virgin raw materials in our production we have been informed by our suppliers that:

- They have received at least a pre-registration confirmation and a registration intention.
- The raw materials do not contain any substance included in the most recent and authentic “[Candidate List](#) of Substances of Very High Concern for Authorisation”, in a concentration above the threshold limit of 0.1%.
- The raw materials do not contain any substance included in the most recent version of REACH Annex XIV: List of substances subject to authorisation.
- The raw materials do not contain any substance included in the most recent version of REACH Annex XVII: Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

In addition to this, Kullaplast does not intentionally use or add any substance included in the lists above, to our products.

Material Safety Data Sheet (MSDS)

As our products are defined as articles and lack any inherent dangerous properties such as being persistent, toxic, or bioaccumulative, there is no legal obligation to set up a MSDS for our products according to the REACH and CLP (No 1272/2008) regulations.

ELV, WEEE, and RoHS

Our products are not in scope of Directive 2000/53/EC on End-of Live Vehicles (ELV) nor Directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). Thus, none of these directives, nor the Directive on the Restriction of Hazardous Substances (RoHS), applies to our products.

However, we have been informed by our suppliers that none of the virgin materials they supply to us contain any of the hazardous substances in the RoHS directive. These substances

are: Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent chromium (Cr⁶⁺), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ether (PBDE).

Packaging and packaging waste

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste, and specifically Article 11, requires that the maximum concentration level of Lead (Pb), Mercury (Hg), Cadmium (Cd), and Hexavalent chromium (Cr⁶⁺), present in packaging or packaging components does not exceed 100 ppm by weight.

Dual-use items

To the best of our knowledge our products are not included in “Council Regulation (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items”, including amendments and corrections.

Consolidated versions of the regulations above can be found in [EUR-Lex](#).

Declaration of Compliance – Food Contact Materials

The DoC below is only applicable for products intended for food contact!

In addition to the Declaration of Compliance above, which is valid for all our products, we hereby declare the compliance with the applicable sections of the following directives and regulations regarding food contact materials:

- Commission Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food, including amendments and corrections
- Commission Regulation (EC) No 2023/2006 of 22 December 2006 on good manufacturing practice for materials and articles intended to come into contact with food, including amendments and corrections
- Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food, including amendments and corrections
- Commission Regulation (EC) No 282/2008 of 27 March 2008 on recycled plastic materials and articles intended to come into contact with foods and amending Regulation (EC) No 2023/2006, including amendments and corrections
- Commission Regulation (EC) No 1895/2005 of 18 November 2005 on the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with food, including amendments and corrections
- Commission Regulation (EC) No 450/2009 of 29 May 2009 on active and intelligent materials and articles intended to come into contact with food, including amendments and corrections

Consolidated versions of the regulations above can be found in [EUR-Lex](#).

Identification of Food Contact Materials

Products from Kullaplast AB that are intended for Food Contact have the Glass-and-Fork-symbol on their Product Data Sheets.



Use of Food Contact Materials

Food Contact Materials are intended for packaging and protection at room temperatures and below. No material or product is intended for heating, cooking, use in microwave ovens or similar. Specifications can be found in our Normpack certificate, see paragraph below.

Specific Migration Limits and Dual Use Additives

Some of the materials used in the production of our products contain substances that are subjected to Specific Migration Limits (SML) or classified as Dual Use Additives. However, in our final products these substances are, if present at all, only present in quantities that in case of their migration does not amount to relevant contribution to exceed the limits as set in the applicable food legislation.

This have been established by the prescribed migration tests and is verified by our Normpack certificate, see paragraph below.

Printing inks

The printing inks used by Kullaplast are manufactured and used according to the guidelines from the European Printing Inks Association (EuPIA), current version can be found at <http://www.eupia.org>, and are suitable for use on the non-contact side of food packaging.

Food Safety Information

Please make sure that the information in this document as well as the Product Data Sheet for your specific products follow the products through the food chain, i.e. relay the information to your customers, if applicable.

Normpack Certificate

A certificate from [The Trade & Industry group Normpack](#) that states the performed migration tests and their results. The certificate also declares which food types the material is approved for direct contact with, as well as contact time under foreseeable use. The time/temperature conditions specified are valid with regard to migration. We have included a guide to the interpretation of the certificate which is available for download from our [website](#).



General Absence Declaration

We have received confirmation from our suppliers that their virgin materials are free from the substances mentioned below. In addition to this, these substances are not intentionally used in our production or added to our products by us. Consequently, we hereby declare that our products, made from virgin materials, does not contain the substances listed below.

However, this does not exclude the presence of negligibly slight traces (the absence has not been checked by tests) due to, amongst others, impurities in materials or components supplied by external parties.

- Adipates
- Alkylphenol ethoxylates (APEO) and other alkylphenol derivatives (substances that release alkylphenols on degradation)
- Allergens, examples include, without excluding any substance or food type not mentioned here: Gluten, Crustaceans, Molluscs, Egg, Fish, Peanuts, Soy, Milk incl. lactose, Almonds, Hazelnut, Walnut Cashew, Pecan, Brazil nut, Pistachio, Macadamia nut, Lupine, Celery, Mustard, Sesame seeds Sulphur dioxide, Sulphite
- Antimicrobial substances
- Biocidal products
- Bisphenol A (BPA), bisphenol S and bisphenol F
- Boric acid, sodium perborate, perboric acid, sodium borate (borax) and any other boron compounds classed as carcinogenic, mutagenic or reprotoxic
- Bovine spongiform encephalopathy (BSE)
- Brominated flame retardants
- Cadmium (Cd)
- Carcinogenic substances
- Cellulose
- CFCs and HCFCs
- Chromium, hexavalent (Cr⁶⁺)
- Conflict Minerals. We have received confirmation from our suppliers that for the vast majority of our raw materials the following minerals and their derivatives are either not used in the production of our raw materials, or complies with the applicable regulations: Columbite-Tantalite, also known as Coltan (niobium, tantalum); Cassiterite (tin), Wolframite (tungsten), Gold
- Endocrine disruptors
- Lead (Pb)
- Mercury (Hg)
- Mutagenic substances
- Perfluorinated and polyfluorinated alkylated substances (PFAs) including perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS)
- Persistent, bioaccumulative and toxic substances (PBT)

- Phthalates, examples include, without excluding any substance not mentioned here: butyl benzyl phthalate (BBP), di-n-butyl phthalate (DBP), diisobutyl phthalate (DIBP), di-(2-ethylhexyl) phthalate (DEHP).
- Polyvinylchloride (PVC)
- Radioactive substances
- Substances of Very High Concern (SVHC) included in the most recent and authentic “[Candidate List](#) of Substances of Very High Concern for Authorisation”, in a concentration above the threshold limit of 0.1%.
- Tin organic compounds
- Toxic for reproduction
- Transmissible spongiform encephalopathy (TSE)
- Very persistent and very bioaccumulative (vPvB)

The SIN List

The [SIN \(Substitute it Now!\) List](#) is a globally used database of chemicals likely to be banned or restricted in a near future. The chemicals on the SIN List have been identified by [ChemSec](#) as Substances of Very High Concern (SVHC) based on the criteria established by the EU chemicals regulation REACH. Thus, the SIN List is more comprehensive than the “Candidate List of SVHC for Authorisation”, please refer to the paragraph regarding REACH above.

Unfortunately, our suppliers do not issue statements regarding absence of chemicals included in the SIN List valid for their products, nor do they reveal the exact composition of their products. Consequently, Kullaplast does not have the information and knowledge to truthfully issue a statement regarding the absence of chemicals included in the SIN List valid for our products.

Flexible sheets for waterproofing

P-mark

Our flexible sheets for waterproofing (Luft- och Ångspärr in Swedish) are tested and approved by [RISE Research Institutes of Sweden](#) according applicable sections of:

- Boverket Building Regulations (BBR) issued by the National Board of Housing, Building and Planning
- The Planning and Building Act (PBL), national Swedish law
- Certification rule CR128 appendix 1, Water vapour control layer



This is verified by certificate no. 2125/91. The P-Mark means that the product meets legal or regulatory requirements, in most cases it also means that it meets even more stringent requirements demanded by the market. Furthermore, P-marking means that the product is type-tested, and that the manufacturer's own inspection is monitored by RISE.

Approved and certified for the Norwegian market

Our flexible sheets for waterproofing (Dampsperre in Norwegian) are tested and approved by [SINTEF Certification](#) and we have received certificate "Teknisk Godkjenning no. 20056".



CE marking

Our flexible sheets for waterproofing are tested by *RISE Research Institutes of Sweden* (Notified Body, no 0402) according to the harmonised standard *EN 13984:2013 Flexible sheets for waterproofing. Plastic and rubber vapour control layers. Definitions and characteristics*. Thus, these products fulfil the requirements of *Regulation (EU) No 305/2011 Construction Products Regulation (CPR)* and bears the prescribed CE mark. Declarations of Performance are available on request.



Use in Nordic Swan Ecolabelled buildings (Svanenmärkta byggnader)

Our flexible sheets for waterproofing (Kullafolie 120 & 200) are listed in the database for building products that can be used in Nordic Swan Ecolabelled buildings. Please refer to the [Nordic Swan Ecolabel](#) website for further details.

Assessment by Byggsvarubedömningen, BASTA and SundaHus

Our flexible sheets for waterproofing (Kullafolie 120 & 200) have also been registered and assessed by [Byggsvarubedömningen](#), [BASTA](#) and [SundaHus](#). This means that we can verify that our products meet agreed properties criteria regarding properties hazardous to the environment and health. Please refer to the website of respective organisation for further details.



BYGGVARUBEDÖMNINGEN

 **SundaHus**

General Information

Tolerances

STANDARD TOLERANCES, not applicable to Pallet Hoods

Thickness: average $\pm 7\%$, single value $\pm 15\%$

Width, <1500 mm: + 10 mm, - 5 mm

Width, >1500 mm: + 20 mm, - 5 mm

Length (only bags, sacks, sheets): + 10 mm, - 5 mm

PALLET HOODS TOLERANCES

Thickness: average $\pm 10\%$, single value $\pm 20\%$

Width: + 30 mm, - 15 mm

Length: + 10 mm, - 5 mm

CUSTOM TOLERANCES

Custom tolerances are used upon request and replace corresponding standard tolerances. If applicable, custom tolerances are specified on the Product Data Sheet, below the heading “Product Specific Information”.

Storage and Transportation

Polyethylene degrades when exposed to UV radiation, heat or extensive mechanical wear. Thus, with regards to maintaining the mechanical properties of our products, storage must be done free from UV-radiation, should be done in a dry location, at a non-elevated temperature and in a closed outer packaging. Kullaplast recommends usage within two years and the use of approved EUR-pallets.

Marking

Kullaplasts Product Identification for traceability, according to customer specification and, if applicable, to standards and regulations.

Recycling

Most of our products are made almost exclusively from polyethylene (PE); however, in a few products there is some polypropylene (PP). Thus, all our products are suited to material recycling and should be recycled as polyethylene (PE) as this is the main component. Energy recovery is favourable and correctly controlled combustion generates only carbon dioxide and water. If you require specific information on your product, please contact our Quality Manager.



Thank you for caring about our environment!

Further or erroneous information

If you require further information regarding any of the subjects above, or if any information is missing or appears erroneous, please contact our Quality Manager.

Most of the links to various websites in this document are updated outside of our control. Kullaplast AB does not take any responsibility regarding the availability of information or accessibility of websites if you chose to follow these links. Please refer to the main website of respective organisation if needed. We appreciate if you tell us about any broken link, thanks in advance.

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability whatsoever for the accuracy and completeness of such information.

Thank you for your interest in Kullaplast AB and our products 😊

Höganäs, Sweden, 2018-04-11



Jonas Skoglund, CEO